

Induction cooker IK 35TC



► Output: 3.5 kW

► Матеріал варильної поверхні: скло

► Touch control panel with digital display

Description

Features

• Temperature range:	60 °C to 240 °C
• Number of temperature levels:	10
• Power load:	3,5 kW 230 V 50/60 Hz
• Equipment connection:	Pluggable
• Control unit:	Electronic
	Touch
• Number of hobs:	1
• Type of hobs:	Induction
• Overheating protection:	Yes
• Digital display:	Yes
• ON/OFF switch:	Yes
• Number of output levels:	10
• Properties:	-
• Material hob:	Glass
• Regulation of:	Output
	Temperature
	Time

► Continue on the next page



STAINLESS
STEEL

3,5 kW



Induction cooker IK 35TC

- Material: Stainless steel
- Output hob(s) max.: 3500 W
- Colour: Silver
- Important information: Black
- Intervals time setting: The platform 200 KST3240 Plus is required for use in the cooking station KST3240 Plus
- Time adjustment: 1 minute / 10 minutes
- Intervals temperature setting: 0 to 180 minutes
- Diameter hob(s): 20 °C
- Control lamp: 228 mm
- Size cerane surface: ON/OFF
- Can be installed: Output
- Pot recognition: Temperature
- Lock button (child protection): Time
- Core temperature sensor: W 285 x D 285 mm
- Size: No
- Weight: Yes



Induction cooker IK 35TC

Add on Products

Platform 200 KST Plus

CNS
18/10



- Important information: -
- Material: CNS 18/10
- Size: W 400 x D 595 x H 200 mm
- Weight: 7.4 kg

Code-No. 107277
GTIN 4015613684659

Power cleaner F1L, set of 2



- Designed for: Stubborn dirt, especially in kitchens
Grill and combi steamer cleaning (without
cleaning system)
- Content: 2 x 1 litre
- Model: Liquid
High concentrate
- Ph level: 13,5

Code-No. 173078
GTIN 4015613731926