

Test Report Page 1 of 12 No. SHAHG2211375001 Date: 11 Aug 2022

Client Name : VITAMIX MANUFACTURING CORPORATION Client Address: 8615 USHER ROAD OLMSTED TWP, OHIO 44138

Sample Name: **BLENDER CONTAINERS AND PARTS**

Style No.: VM0142-102133

The above sample(s) and information were provided by the client.

SGS Job No.: SHHL2207031963CW - SH

Date of Sample Received: 03 Aug 2022

03 Aug 2022 - 11 Aug 2022 Testing Period:

Test Requested: Selected test(s) as requested by the client.

Test Method(s): Please refer to next page(s). Test Result(s): Please refer to next page(s).

Result Summary:

Test Requested	Conclusion
(EU) No 10/2011 and its amendment (EU) 2020/1245 Regulation-Overall migration	PASS
Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004-Sensorial examination odour and taste test	PASS
(EU) No 10/2011 and its amendment (EU) 2020/1245 Regulation-Specific migration of acetaldehyde	PASS
(EU) No 10/2011 and its amendment (EU) 2020/1245 Regulation -Specific migration of heavy metal	PASS
(EU) No 10/2011 and its amendment (EU) 2020/1245 Regulation-Specific migration of primary aromatic amine (total)	PASS
(EU) No 10/2011 and its amendment (EU) 2020/1245 Regulation-Specific migration of ethylene glycol	PASS
(EU) No 10/2011 and its amendment (EU) 2020/1245 Regulation-Specific migration of terephthalic acid	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parlies to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"

3rd Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮編: 200233



Test Report

No. SHAHG2211375001

Date: 11 Aug 2022 Page 2 of 12

Signed for and on behalf of SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Xiang Zhou

Xiang Zhou Approved Signatory





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parlies to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"



Test Report No. SHAHG2211375001 Date: 11 Aug 2022 Page 3 of 12

Test Result(s):

Test Part Description:

Specimen No. SGS Sample ID Description Material (claimed by the client)

SN1 SHA22-113750.001 Transparent plastic body PET

Remarks:

(1) mg/dm² = milligram per square decimeter

(2) mg/kg = milligram per kilogram

(3) °C= degree Celsius

(4) < = less than

(5) MDL = Method Detection Limit

(6) ND = Not Detected (< MDL)

(EU) No 10/2011 and its amendment (EU) 2020/1245 Regulation-Overall migration

Test Method: With reference to Commission Regulation (EU) No 10/2011 of 14 January 2011 Annex III and

Annex V for selection of condition and EN 1186-1:2002 for selection of test methods;

EN 1186-3: 2002 aqueous food simulants by total immersion method;

EN 1186-2: 2002 olive oil by total immersion method;

Simulant Used	<u>Time</u>	<u>Temperature</u>	Max. Permissible <u>Limit</u>	Result of 001 Overall migration	<u>Conclusion</u>
3% Acetic acid (W/V) aqueous solution (Third migration)	2.0hr(s)	70°C	10mg/dm²	<3.0mg/dm²	PASS
3% Acetic acid (W/V) aqueous solution (Second migration)	2.0hr(s)	70°C	-	<3.0mg/dm²	
3% Acetic acid (W/V) aqueous solution (First migration)	2.0hr(s)	70°C	-	<3.0mg/dm²	
Stability			-		YES
10% Ethanol (V/V) Aqueous Solution (Third migration)	2.0hr(s)	70°C	10mg/dm²	<3.0mg/dm²	PASS
10% Ethanol (V/V) Aqueous Solution (Second migration)	2.0hr(s)	70°C	-	<3.0mg/dm²	
10% Ethanol (V/V) Aqueous Solution (First migration)	2.0hr(s)	70°C	-	<3.0mg/dm²	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

**Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

中国 · 上海 · 徐汇区宜山路889号3号楼 邮编: 200233



Test Report	No. SH	AHG2211375001	Date: 11	Page 4 of 12	
Stability			-		YES
Rectified olive oil (Third time)	2.0hr(s)	70°C	10mg/dm²	<3.0mg/dm²	PASS
Rectified olive oil (Second time)	2.0hr(s)	70°C	-	<3.0mg/dm²	
Rectified olive oil (First migration)	2.0hr(s)	70°C	-	<3.0mg/dm²	
Stability			-		YES
Area/Volume			-	10.0dm ² /kg	

Notes:

- (1) Analytical tolerance of aqueous simulants is 2 mg/dm2 or 12 mg/kg.
- (2) Analytical tolerance of fatty food simulants is 3 mg/dm² or 20mg/kg.
- (3) Test condition & simulant were specified by client.
- (4) For repeated use, compliance of the material or article is verified on the basis of the level of the migration found in the third test and on the basis of the stability of the material or article from the first to the third migration test.

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004-Sensorial examination odour and taste test

Test Method: With reference to DIN 10955: 2004

No. of panelist: 6

Test Item(s)	<u>Limit</u>	<u>001</u>
Test media	-	DW
Test time (hr(s))	-	0.5
Temperature(°C)	-	100
Sensorial examination odour (Point scale)	2.5	0
Sensorial examination taste (Point scale)	2.5	0
Conclusion		PASS

Notes:

Scale evaluation:

0 – no perceptible difference

1 – just perceptible difference

2 - slight difference

3 - marked difference

4 - strong difference

DW= Distilled water



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

**Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

3rd Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233



Test Report Date: 11 Aug 2022 Page 5 of 12 No. SHAHG2211375001

(EU) No 10/2011 and its amendment (EU) 2020/1245 Regulation-Specific migration of acetaldehyde

Test Method: With reference to EN13130-1: 2004, analysis was performed by LC-DAD.

Sample 001

Simulant Used: 3% Acetic acid (W/V) aqueous solution

Test Condition: 100 °C 0.5 hr(s)

Test Item(s)	Max. Permissible	<u>Unit</u>	<u>MDL</u>	Test result
	<u>Limit</u>			
Migration times	-	-	-	First
Area/volume	-	dm²/kg	-	6.0
Specific migration of acetaldehyde	-	mg/kg	1.0	ND

Sample 001

Simulant Used: 3% Acetic acid (W/V) aqueous solution

Test Condition: 100 °C 0.5 hr(s)

Test Item(s)	Max. Permissible	<u>Unit</u>	MDL	Test result
	<u>Limit</u>			
Migration times	-	-	-	Second
Area/volume	-	dm²/kg	-	6.0
Specific migration of acetaldehyde	-	mg/kg	1.0	ND

Sample 001

Simulant Used: 3% Acetic acid (W/V) aqueous solution

100 °C 0.5 hr(s) Test Condition:

Test Item(s)	Max. Permissible	<u>Unit</u>	<u>MDL</u>	Test result
	<u>Limit</u>			
Migration times	-	-	-	Third
Area/volume	-	dm²/kg	-	6.0
Specific migration of acetaldehyde	6.0	mg/kg	1.0	ND
Stability	-	-	-	YES
Conclusion				PASS

Notes:

(1) Test condition & simulant were specified by client.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

**Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

3rd Building, No.889 Yishan Road Xuhui District, Shanghai China 200233

中国・上海・徐汇区宜山路889号3号楼 邮编: 200233

t E&E (86-21) 61402553 f E&E (86-21)64953679 t HL (86-21) 61402594 f HL (86-21) 61156899



Test Report Date: 11 Aug 2022 Page 6 of 12 No. SHAHG2211375001

(EU) No 10/2011 and its amendment (EU) 2020/1245 Regulation -Specific migration of heavy metal

Test Method: With reference to EN13130-1:2004, analysis was performed by ICP-OES and ICP-MS.

Sample 001

Simulant Used: 3% Acetic acid (W/V) aqueous solution

Test Condition: 100 °C 0.5 hr(s)

Test Item(s)	Max. Permissible	<u>Unit</u>	<u>MDL</u>	Test result
	<u>Limit</u>			
Migration times	-	-	-	First
Area/volume	-	dm²/kg	-	6.0
Arsenic(As)	ND	mg/kg	0.01	ND
Cadmium(Cd)	ND	mg/kg	0.002	ND
Chromium(Cr)	ND	mg/kg	0.01	ND
Mercury(Hg)	ND	mg/kg	0.01	ND
Lead(Pb)	ND	mg/kg	0.01	ND
Aluminium(AI)	-	mg/kg	0.1	ND
Barium(Ba)	-	mg/kg	0.25	ND
Cobalt(Co)	-	mg/kg	0.01	ND
Copper(Cu)	-	mg/kg	0.25	ND
Iron(Fe)	-	mg/kg	5	ND
Lithium(Li)	-	mg/kg	0.1	ND
Manganese(Mn)	-	mg/kg	0.1	ND
Zinc(Zn)	-	mg/kg	0.5	ND
Nickel(Ni)	-	mg/kg	0.01	ND
Antimony(Sb)	-	mg/kg	0.01	ND
Europium (Eu)	-	mg/kg	0.025	ND
Gadolinium(Gd)	-	mg/kg	0.025	ND
Lanthanum(La)	-	mg/kg	0.025	ND
Terbium(Tb)	-	mg/kg	0.025	ND
Europium (Eu)+ Gadolinium(Gd)+ Lanthanum(La)+ Terbium(Tb)	-	mg/kg	-	ND

Sample 001

Simulant Used: 3% Acetic acid (W/V) aqueous solution

100 °C 0.5 hr(s) Test Condition:



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parlies to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"

3rd Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233

中国・上海・徐汇区宜山路889号3号楼 邮编: 200233

t HL (86-21) 61402594 f HL (86-21) 61156899



Test Report	No. SHAHG2211375001	Date: 11 Au	g 2022	Page 7 of 12
Test Item(s)	Max. Permi		MDL	Test result
	<u>Limit</u>			
Migration times	-	-	-	Second
Area/volume	-	dm²/kg	-	6.0
Arsenic(As)	-	mg/kg	0.01	ND
Cadmium(Cd)	-	mg/kg	0.002	ND
Chromium(Cr)	-	mg/kg	0.01	ND
Mercury(Hg)	-	mg/kg	0.01	ND
Lead(Pb)	-	mg/kg	0.01	ND
Aluminium(Al)	-	mg/kg	0.1	ND
Barium(Ba)	-	mg/kg	0.25	ND
Cobalt(Co)	-	mg/kg	0.01	ND
Copper(Cu)	-	mg/kg	0.25	ND
Iron(Fe)	-	mg/kg	5	ND
Lithium(Li)	-	mg/kg	0.1	ND
Manganese(Mn)	-	mg/kg	0.1	ND
Zinc(Zn)	-	mg/kg	0.5	ND
Nickel(Ni)	-	mg/kg	0.01	ND
Antimony(Sb)	-	mg/kg	0.01	ND
Europium (Eu)	-	mg/kg	0.025	ND
Gadolinium(Gd)	-	mg/kg	0.025	ND
Lanthanum(La)	-	mg/kg	0.025	ND
Terbium(Tb)	-	mg/kg	0.025	ND
Europium (Eu)+ Gadolinium(Gd)+ La Terbium(Tb)	nthanum(La)+ -	mg/kg	-	ND

Sample 001

Simulant Used: 3% Acetic acid (W/V) aqueous solution

100 °C 0.5 hr(s) Test Condition:

Test Item(s)	Max. Permissible	<u>Unit</u>	<u>MDL</u>	Test result
	<u>Limit</u>			
Migration times	-	-	-	Third
Area/volume	-	dm²/kg	-	6.0
Arsenic(As)	ND	mg/kg	0.01	ND
Cadmium(Cd)	ND	mg/kg	0.002	ND
Chromium(Cr)	ND	mg/kg	0.01	ND
Mercury(Hg)	ND	mg/kg	0.01	ND
Lead(Pb)	ND	mg/kg	0.01	ND
Aluminium(AI)	1	mg/kg	0.1	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its Intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CRN.Doccheck@gs.com"

3rdBuilding,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn 中国・上海・徐汇区宜山路889号3号楼 邮編: 200233 t HL (86-21) 61402594 f HL (86-21)61156899

e sgs.china@sgs.com



Test Report	No. SHAHG2211375001	Date: 11 Au	ug 2022	Page 8 of 12
Barium(Ba)	1	mg/kg	0.25	ND
Cobalt(Co)	0.05	5 mg/kg	0.01	ND
Copper(Cu)	5	mg/kg	0.25	ND
Iron(Fe)	48	mg/kg	5	ND
Lithium(Li)	0.6	mg/kg	0.1	ND
Manganese(Mn)	0.6	mg/kg	0.1	ND
Zinc(Zn)	5	mg/kg	0.5	ND
Nickel(Ni)	0.02	2 mg/kg	0.01	ND
Antimony(Sb)	0.04	l mg/kg	0.01	ND
Europium (Eu)	-	mg/kg	0.025	ND
Gadolinium(Gd)	-	mg/kg	0.025	ND
Lanthanum(La)	-	mg/kg	0.025	ND
Terbium(Tb)	-	mg/kg	0.025	ND
Europium (Eu)+ Gadolinium(Gd)+ L Terbium(Tb)	anthanum(La)+ 0.05	5 mg/kg	-	ND
Stability	-	-	-	YES
Conclusion				PASS

Notes:

(EU) No 10/2011 and its amendment (EU) 2020/1245 Regulation-Specific migration of primary aromatic amine (total)

Test Method: With reference to EN 13130-1: 2004, analysis was performed by UV-Vis.

Sample 001

Simulant Used: 3% Acetic acid (W/V) aqueous solution

Test Condition: 100 °C 0.5 hr(s)

Test Item(s)	Max. Permissible	<u>Unit</u>	<u>MDL</u>	Test result
	<u>Limit</u>			
Migration times	-	-	-	First
Area/volume	-	dm²/kg	-	6.0
Specific migration of primary aromatic amine	-	mg/kg	0.002	ND

Sample 001

3% Acetic acid (W/V) aqueous solution Simulant Used:

100 °C 0.5 hr(s) Test Condition:



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, *Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, ***This inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, ***

3rd Building, No.889 Yishan Road Xuhui District, Shanghai China 200233

中国・上海・徐汇区宜山路889号3号楼 邮编: 200233

⁽¹⁾ Test condition & simulant were specified by client.



Test Report No. SHAHG2211375001 Date: 11 Aug 2022 Page 9 of 12

Test Item(s)	Max. Permissible	<u>Unit</u>	<u>MDL</u>	Test result
	<u>Limit</u>			
Migration times	-	-	-	Second
Area/volume	-	dm²/kg	-	6.0
Specific migration of primary aromatic amine	-	mg/kg	0.002	ND

Sample 001

3% Acetic acid (W/V) aqueous solution Simulant Used:

100 °C 0.5 hr(s) Test Condition:

Test Item(s)	Max. Permissible	<u>Unit</u>	<u>MDL</u>	Test result
	<u>Limit</u>			
Migration times	-	-	-	Third
Area/volume	-	dm²/kg	-	6.0
Specific migration of primary aromatic amine	0.01	mg/kg	0.002	ND
Stability	-	-	-	YES
Conclusion				PASS

Notes:

(1) Test condition & simulant were specified by client.

(EU) No 10/2011 and its amendment (EU) 2020/1245 Regulation-Specific migration of ethylene glycol

Test Method: With reference to EN 13130-1: 2004, analysis was performed by GC-FID.

Sample 001

Simulant Used: 3% Acetic acid (W/V) aqueous solution

Test Condition: 100 °C 0.5 hr(s)

Test Item(s)	Max. Permissible	<u>Unit</u>	<u>MDL</u>	Test result
	<u>Limit</u>			
Migration times	-	-	-	First
Area/volume	-	dm²/kg	-	6.0
Specific migration of ethylene glycol	-	mg/kg	20	ND

Sample 001

Simulant Used: 3% Acetic acid (W/V) aqueous solution

Test Condition: 100 °C 0.5 hr(s)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

**Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

3rd Building, No.889 Yishan Road Xuhui District, Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233



Test Report No. SHAHG2211375001 Date: 11 Aug 2022 Page 10 of 12

Test Item(s)	Max. Permissible Limit	<u>Unit</u>	<u>MDL</u>	Test result
Migration times	-	-	-	Second
Area/volume	-	dm²/kg	-	6.0
Specific migration of ethylene glycol	-	mg/kg	20	ND

Sample 001

3% Acetic acid (W/V) aqueous solution Simulant Used:

100 °C 0.5 hr(s) Test Condition:

Test Item(s)	Max. Permissible	<u>Unit</u>	<u>MDL</u>	Test result
	<u>Limit</u>			
Migration times	-	-	-	Third
Area/volume	-	dm²/kg	-	6.0
Specific migration of ethylene glycol	30	mg/kg	20	ND
Stability	-	-	-	YES
Conclusion				PASS

Notes:

(1) Test condition & simulant were specified by client.

(EU) No 10/2011 and its amendment (EU) 2020/1245 Regulation-Specific migration of terephthalic acid

Test Method: With reference to EN13130-1: 2004, analysis was performed by LC-DAD.

Sample 001

Simulant Used: 3% Acetic acid (W/V) aqueous solution

Test Condition: 100 °C 0.5 hr(s)

Test Item(s)	Max. Permissible	<u>Unit</u>	<u>MDL</u>	Test result
	<u>Limit</u>			
Migration times	-	-	-	First
Area/volume	-	dm²/kg	-	6.0
Specific migration of terephthalic acid	-	mg/kg	1.0	ND

Sample 001

Simulant Used: 3% Acetic acid (W/V) aqueous solution

Test Condition: 100 °C 0.5 hr(s)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

**Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

3rd Building, No.889 Yishan Road Xuhui District, Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233



Test Report No. SHAHG2211375001 Date: 11 Aug 2022 Page 11 of 12

Test Item(s)	Max. Permissible Limit	<u>Unit</u>	<u>MDL</u>	Test result
Migration times	-	-	-	Second
Area/volume	-	dm²/kg	-	6.0
Specific migration of terephthalic acid	-	mg/kg	1.0	ND

Sample 001

Simulant Used: 3% Acetic acid (W/V) aqueous solution

Test Condition: 100 °C 0.5 hr(s)

Test Item(s)	Max. Permissible	<u>Unit</u>	<u>MDL</u>	Test result
	<u>Limit</u>			
Migration times	-	-	-	Third
Area/volume	-	dm²/kg	-	6.0
Specific migration of terephthalic acid	7.5	mg/kg	1.0	ND
Stability	-	-	-	YES
Conclusion				PASS

Notes:

(1) Test condition & simulant were specified by client.

Remark:

(1) For Specific migration test of repeated use material or article:

For repeated use, compliance of the material or article is verified on the basis of the level of the migration found in the third test and on the basis of the stability of the material or article from the first to the third migration test. For substances which limit is "Not Detected", the compliance is based on the first migration test result if it is detected.

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

**Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Test Report

No. SHAHG2211375001

Page 12 of 12

Date: 11 Aug 2022

Sample photo:





SGS authenticate the photo on original report only

*** End of Report ***



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, *Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, ***This inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, ***

3rd Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233